

FOURTEENTH YOUNG RESEARCHERS' CONFERENCE MATERIALS SCIENCE AND ENGINEERING

**December 9-11, 2015, Belgrade, Serbia
Serbian Academy of Sciences and Arts, Knez Mihailova 36**

Program and the Book of Abstracts

**Materials Research Society of Serbia
&
Institute of Technical Sciences of SASA**

December 2015, Belgrade, Serbia

Book title:

Fourteenth Young Researchers' Conference - Materials Science and Engineering:
Program and the Book of Abstracts

Publisher:

Institute of Technical Sciences of SASA
Knez Mihailova 35/IV, 11000 Belgrade, Serbia
Tel: +381-11-2636994, fax: 2185263
<http://www.itn.sanu.ac.rs>

Editor:

Dr. Smilja Marković

Technical Editor:

Aleksandra Stojičić

Cover page: Aleksandra Stojičić and Milica Ševkušić

Cover: modified photo *Belgrade bridges* by mcveja; Flickr
(<https://www.flickr.com/photos/mcveja/2428406067/>); CC-BY 2.0 Generic

Printer:

Gama digital centar
Autoput No. 6, 11070 Belgrade, Serbia
Tel: +381-11-6306992, 6306962
<http://www.gdc.rs>

Edition:

100 copies

CIP - Каталогизација у публикацији
Народна библиотека Србије, Београд

66.017/.018(048)

YOUNG Researchers Conference Materials Sciences and Engineering (14th ;
2015 ; Beograd)

Program ; and the Book of Abstracts / Fourteenth Young Researchers'
Conference Materials Sciences and Engineering, December 9-11, 2015,
Belgrade, Serbia ; [organized by] Materials Research Society of Serbia
& Institute of Technical Sciences of SASA ; [editor Smilja Marković]. -
Belgrade : Institute of Technical Sciences of SASA, 2015 (Beograd :
Gama digital centar). - XVI, 58 str. ; 23 cm

Tiraž 100. - Registar.

ISBN 978-86-80321-31-8

1. Materials Research Society of Serbia (Beograd)

a) Наука о материјалима - Апстрактни b) Технички материјали - Апстрактни
COBISS.SR-ID 219496972

11-4

Influence of PEO molecular weight on properties of ZnO/PEO composites

Vladimir Rajić, Smilja Marković

Institute of Technical Sciences of SASA, Knez Mihailova 35/IV, 11000 Belgrade, Serbia

The removal of inorganic, organic and biological pollutants from drinking water and wastewater is one of the key steps in environmental protection. In recent 10 years a heterogeneous photocatalysis, as an efficient method for the degradation and mineralization of pollutants from water, has been widely studied and developed. For heterogeneous photocatalysis mostly used materials to initiate the photoreaction are oxide semiconductors such as TiO_2 and ZnO . However, these oxide semiconductors, having band gap energies around 3.3 eV, can absorb UV light only. Since sunlight is a source of clean and cheap energy, where UV light makes no more than 3–5% of the total sunlight, it is highly desirable to modify the oxide semiconductor materials to be capable for visible light photocatalysts. Numerous approaches have been applied to modify the optical absorption properties and to improve the visible light photocatalytic activity including: (1) the incorporation of transition metal ions into the crystal structure, (2) sensitization of the particles' surface, (3) hydrogenation, (4) the incorporation of crystalline defects in metal oxide semiconductors in the form of vacancies and interstitials, etc. Microwave processing is recognized as an attractive synthesis technique to introduce lattice defects.

In this study ZnO spheroidal nanoparticles, synthesized by microwave processing, were used for preparation of composites with polyethylene oxide (PEO). The phase purity and crystal structure of the composites were investigated by X-ray diffraction (XRD) and Raman spectroscopy. The composites' particles morphology and size distributions were studied by FE-SEM and laser diffraction particle size analyzer, respectively. The optical properties were studied using UV-Vis diffuse reflectance and photoluminescence spectroscopy. It is found that ZnO and ZnO/PEO composites absorb about 50% of visible light, also red-shift of band gap energy (0.12-0.15 eV) compared to bulk ZnO was determined. The effect of PEO molecular weights, 200.000, 600.000 and 900.000 g/mol, on photocatalytic activity of ZnO/PEO composites were examined via degradation of methylene blue (MB) under direct sunlight irradiation. A large efficiency of MB degradation was found after 6 h of irradiation. The enhanced photocatalytic activity of ZnO/PEO composites is attributed to the: (1) lattice defects introduced in ZnO crystal structure by rapid microwave processing, and (2) presence of PEO as a source of oxygen interstitials. In order to confirm and further clarify the experimental results ab initio calculations based on density functional theory (DFT) were performed.